




DOOR PULLS & PLATES

DOOR PULLS

MITERED TYPE DOOR PULL



- For wood or metal doors up to 2 1/4" (57mm) thick
- Single pull, surface mounting (S ie:18R12BS)
- Back-to-back (paired pulls), thru-bolt mounting (B ie:18R12BB)
- 18R-BS: Concealed surface mounting hardware included
- 18R-BB: Thru-bolt mounting hardware included

For glass doors order kit:



Single Pull (BS):

#18R-PBOLTBGS-630 (Sold separately)

Back-to-back (BB):

#18R-PBOLTBGB-630 (Sold separately)

MODEL NUMBER	MATERIAL	FINISH	A	B	C	D DIA
18R12B	Stainless steel	630, 19*	11 13/16 (300)	1 3/4 (44)	12 9/16 (319)	3/4 (19)
18R16B			15 3/4 (400)		16 1/2 (419)	
18R24B			23 5/8 (600)		24 3/8 (619)	



- For glass, wood or metal doors, 5/16–2" (8–51 mm) thick
- Single pull, thru-bolt mounting (S ie:18R24ES)
- Back-to-back (paired pulls), thru-bolt mounting (B ie:18R24EB)
- Mounting hardware included

For 2 1/4" (57mm) thick doors order kit:



Single Pull (ES):

#18R-PBOLT-630 (Included)

Back-to-back (EB):

#18-PBOLT4 (Sold separately)

MODEL NUMBER	MATERIAL	FINISH	A	B	C	D DIA
18R24E	Stainless steel	630, 19*	24 (610)	2 7/16 (62)	25 1/4 (641)	1 1/4 (32)
18R36E			36 (915)		37 1/4 (946)	
18R48E			48 (1220)		49 1/4 (1251)	
18R60E			60 (1524)		61 1/4 (1556)	
18R72E			72 (1829)		73 1/4 (1861)	
18R84E			84 (2134)		85 1/4 (2165)	



- For wood or metal doors up to 2 1/4" (57mm) thick
- Single pull, surface mounting (S ie:18O24FS)
- Back-to-back (paired pulls), thru-bolt mounting (B ie:18O24FB)
- 18O24FS: Surface mounting hardware included
- 18O24FB: Thru-bolt mounting hardware included

For glass doors order kit:

Single Pull (FS):

#18O-PBOLTBGS-630 (Sold separately)

Back-to-back (FB):

#18O-PBOLTBGB-630 (Sold separately)

MODEL NUMBER	MATERIAL	FINISH	A	B	C	D	E
18O24F	Stainless steel	630, 19*	23 5/8 (600)	1 9/16 (40)	25 3/16 (640)	13/16 (20)	1 9/16 (40)


R4 07/16

DOOR PULLS

MITERED TYPE DOOR PULL



1 1/4"
32 mm



- For glass, wood or metal doors, 5/16–2" (8–51 mm) thick
- Single pull, thru-bolt mounting (S ie: 18Q24ES)
- Back-to-back (paired pulls), thru-bolt mounting (B ie: 18Q24EB)
- Mounting hardware included


For 2 1/4" (57 mm) thick doors order kit:

Single Pull (ES): #18R-PBOLT-630 (Included)
Back-to-back (EB): #18-PBOLT4 (Sold separately)

MODEL NUMBER	MATERIAL	FINISH	A	B	C	D	E
18Q24E	Stainless steel	630, 19*	24 (610)	2 7/16 (62)	25 1/4 (641)	1 1/4 (32)	1 1/4 (32)
18Q36E			36 (915)		37 1/4 (946)		
18Q48E			48 (1220)		49 1/4 (1251)		
18Q60E			60 (1524)		61 1/4 (1556)		
18Q72E			72 (1829)		73 1/4 (1861)		
18Q84E			84 (2134)		85 1/4 (2165)		



1 1/2 x 1"
38 x 25.4 mm



- For glass, wood or metal doors, 5/16–2" (8–51 mm) thick
- Single pull, thru-bolt mounting (S ie: 18T24FS)
- Back-to-back (paired pulls), thru-bolt mounting (B ie: 18T24FB)
- Mounting hardware included


For 2 1/4" (57 mm) thick doors order kit:

Single Pull (FS): #18R-PBOLT-630 (Included)
Back-to-back (FB): #18-PBOLT4 (Sold separately)

MODEL NUMBER	MATERIAL	FINISH	A	B	C	D	E
18T24F	Stainless steel	630, 19*	24 (610)	2 5/8 (67)	25 (635)	1 1/2 (38)	1 (25.4)
18T36F			36 (915)		37 (940)		
18T48F			48 (1220)		49 (1245)		
18T60F			60 (1524)		61 (1549)		
18T72F			72 (1829)		73 (1854)		
18T84F			84 (2134)		85 (2159)		

DOOR PULLS

LADDER TYPE DOOR PULL





- For wood or metal doors up to 2 1/4" (57 mm) thick
- Single pull, surface mounting (S ie: 19R12BS)
- Back-to-back (paired pulls), thru-bolt mounting (B ie: 19R12BB)
- 19R-BB: Surface mounting hardware included
- 19R-BB: Thru-bolt mounting hardware included

For glass doors order kit:

Single Pull (BS): #18R-PBOLTBGS-630 (Sold separately)

Back-to-back (BB): #18R-PBOLTBGB-630 (Sold separately)

MODEL NUMBER	MATERIAL	FINISH	A	B	C	D DIA
19R12B	Stainless steel	630, 19*	11 13/16 (300)	1 3/8 (35)	17 3/4 (450)	25/32 (20)
19R16B			15 3/4 (400)		21 5/8 (550)	
19R22B			21 5/8 (550)		27 9/16 (700)	



- For glass, wood or metal doors, 5/16–2" (8–51 mm) thick
- Single pull, thru-bolt mounting (S ie: 19R24ES)
- Back-to-back (paired pulls), thru-bolt mounting (B ie: 19R24EB)
- Mounting hardware included

For 2 1/4" (57 mm) thick doors order kit:

Single Pull (ES): #18R-PBOLT-630 (Included)

Back-to-back (EB): #18-PBOLT4 (Sold separately)


MODEL NUMBER	MATERIAL	FINISH	A	B	C	D DIA
19R12E	Stainless steel	630, 19*	12 (305)	2 7/16 (62)	24 (610)	1 1/4 (32)
19R24E			24 (610)		36 (915)	
19R36E			36 (915)		48 (1220)	
19R48E			48 (1220)		60 (1524)	
19R60E			60 (1524)		72 (1829)	
19R72E			72 (1829)		84 (2134)	

DOOR PULLS

LADDER TYPE DOOR PULL



1 1/4"
32 mm



- For glass, wood or metal doors, 5/16–2" (8–51 mm) thick
- Single pull, thru-bolt mounting (S ie: 19Q24ES)
- Back-to-back (paired pulls), thru-bolt mounting (B ie: 19Q24EB)
- Mounting hardware included

For 2 1/4" (57 mm) thick doors order kit:

- Single Pull (ES): #18R-PBOLT-630 (Included)
Back-to-back (EB): #18-PBOLT4 (Sold separately)


MODEL NUMBER	MATERIAL	FINISH	A	B	C	D
19Q12E	Stainless steel	630, 19*	12 (305)	2 7/16 (62)	24 (610)	1 1/4 (32)
19Q24E			24 (610)		36 (915)	
19Q36E			36 (915)		48 (1220)	
19Q48E			48 (1220)		60 (1524)	
19Q60E			60 (1524)		72 (1829)	
19Q72E			72 (1829)		84 (2134)	

DOOR PULLS

OFFSET TYPE DOOR PULL



1 1/4"
32 mm



- For glass, wood or metal doors, 5/16–2" (8–51 mm) thick
- Single pull, thru-bolt mounting (S ie: 20R24ES)
- Back-to-back (paired pulls), thru-bolt mounting (B ie: 20R24EB)
- Mounting hardware included


For 2 1/4" (57 mm) thick doors order kit:

Single Pull (ES): #18R-PBOLT-630 (Included)
Back-to-back (EB): #18-PBOLT4 (Sold separately)

MODEL NUMBER	MATERIAL	FINISH	A	B	C	D	E DIA
20R10E	Stainless steel	630, 19*	10 (254)	2 7/16 (62)	11 1/4 (286)	4 (102)	1 1/4 (32)
20R24E			24 (609.6)		25 1/4 (641)		
20R36E			36 (914.4)		37 1/4 (946)		
20R48E			48 (1219.2)		49 1/4 (1251)		
20R60E			60 (1524)		61 1/4 (1556)		



1 1/4 x 1"
32 x 25.4 mm



- For glass, wood or metal doors, 5/16–2" (8–50 mm) thick
- Single pull, supplied with thru-bolt mounting (S ie: 20T24ES)
- Back-to-back (paired pulls), supplied with thru-bolt mounting (B ie: 20T24EB)
- Mounting hardware included

NOTE: Single pulls (ES) have thru-bolts with 1 1/4" (32 mm) round end-caps.

MODEL NUMBER	MATERIAL	FINISH	A	B	C	D	E	F
20T10E	Stainless steel	630, 19*	10 (254)	2 11/16 (68)	11 1/4 (286)	4 (102)	3/4 (19)	1 1/4 (32)
20T24E			24 (609.6)		25 1/4 (641)			
20T36E			36 (914.4)		37 1/4 (946)			
20T48E			48 (1219.2)		49 1/4 (1251)			
20T60E			60 (1524)		61 1/4 (1556)			

DOOR PULLS

PARTS & ACCESSORIES

- 18R-PBOLTBGS-630** Single pull glass door thru-bolt mounting kit for 18R-BS, 19R-BS series pulls. Includes threaded stainless steel caps, stainless steel washers and gaskets.
- 18R-PBOLTBGB-630** Back-to-back (paired) pull glass door thru-bolt mounting kit for 18R-BB, 19R-BB series pulls. Includes stainless steel washers and gaskets.
- 18O-PBOLTBGS-630** Single pull glass door thru-bolt mounting kit for 18O-FS series pulls. Includes stainless steel oval end plates, thru-bolts, and gaskets.
- 18O-PBOLTBGB-630** Back-to-back (paired) pull glass door thru-bolt mounting kit for 18O-FB series pulls. Includes stainless steel oval plates and gaskets.

- 18R-PBOLT-630** Single pull thru-bolt kit for 20R/T-E, 19R/Q-E and 18R/Q/T-E series pulls. Includes a 3 1/8" (86mm) 5/16-18 UNC threaded bolt with 1 1/4" (32mm) diameter stainless steel end cap, and gaskets. For wood or metal doors up to 2 1/4" (57mm) thick.
- 18R-PBOLT2-630** Single pull glass door thru-bolt kit for 20R/T-E, 19R/Q-E and 18R/Q/T-E series pulls. Includes a 1 7/8" (47mm), 5/16-18 UNC threaded bolt with 1 1/4" (32mm) diameter stainless steel end cap, and gaskets. For glass doors up to 1 3/8" (35mm) thick.
- 18-PBOLT4** Back to back thru-bolt extension kit for 18R/Q/T-E, 18R/Q/T-E and 19R/Q-E series pulls. For wood or metal doors 2 1/4" (57mm) thick.

18R-PBOLTBGS-630



18R-PBOLTBGB-630



18R-PBOLT-630



18R-PBOLT2-630



18O-PBOLTBGS-630



18O-PBOLTBGB-630



18-PBOLT4

